

CELESTIAL

When you want to design a dazzling waterscape, the sky's the limit with AquaMaster's CELESTIAL FOUNTAINS®. Featuring 8 spray patterns to help you create an impression that's out of this world.



GEMINI

Dramatic geyser reaching amazing heights in a massive column of water.



AQUARIUS

Magnificent two-tiered fountain combining a Gemini geyser rising through a perfect, lower circle.

MODEL	HP	HT x DIA (m)
GEMINI	10	15.2 x .6
	15	20.7 x .6
AQUARIUS	10	Upper 9.8 x .3
		Lower 3.1 x 12.2
	15	Upper 12.8 x .3
		Lower 4.3 x 13.4
PISCES	10	8.5 x 3.0
	15	11.0 x 3.0
LIBRA	10	8.0 x 3.1
	15	11.0 x 3.1



PISCES

Narrower, frothy version of the Aquarius producing a multi-tiered fountain.



LIBRA

Modification of the Gemini, it creates a wider, feathered geyser effect.



FOUNTAINS®

All are backed by a Total Component three year warranty that demonstrates our ongoing Commitment to Excellence in Superior Aquatic Management Systems.



Taurus

Stunning tri-tier reaching amazing heights with a massive center column of water.



Leo

Dramatic geyser creates a full profile in a massive column of water.

MODEL	HP	HT x DIA (m)
TAURUS	10	Upper 9.2 x .3
		Middle 6.1 x 12.2
		Lower 3.1 x 13.8
	15	Upper 12.2 x .3
LEO	10	10.7 x 3.1
	15	12.2 x 3.1
ARIES	10	Upper 9.2 x .3
		Lower 4.9 x 10.7
	15	Upper 12.2 x .3
		Lower 5.5 x 12.2
VIRGO	10	Upper 9.2 x .3
		Lower 3.1 x 12.2
	15	Upper 12.2 x .30
		Lower 3.1 x 15.2



Aries

Narrower, two-tiered pattern reaching fantastic heights.



Virgo

Thick center jet of water surrounded by frothy, lower tier.

CELESTIAL FOUNTAINS®

SYSTEM FEATURES

- High efficiency fountain design with minimal head loss, resulting in maximum Fountain performance
- Total in-water component **Three Year Warranty, Industry's only oil-cooled motors**
- Complete package includes Electrical Control Panel and underwater cable
- Individual high density polyethylene floats are in-water adjustable
- Eight Fountain spray patterns—simple interchangeable nozzles ranging from 10 to 25 HP
- Optional 150, 250 or 500 watt Stainless Steel halogen lighting systems
- Exclusive underwater cable disconnect
- Precision-levelling unobtrusive modular cart style floatation system
- Removable (without tools) large capacity, rigid 16 gauge Stainless Steel intake screen
- Oversized floatation type tires for ease of launching
- Rugged, Heavy-duty Stainless Steel centrifugal pump system for highest efficiency and durability
- Heavy-duty tubular welded Stainless Steel frame design adds strength and longevity

50 HZ CELESTIAL FOUNTAINS® PERFORMANCE SPECIFICATIONS

MODEL NUMBER	HP	VOLTAGE AT 3PH	RUNNING AMP DRAW AT 2875	MINIMUM DEPTH (m)
F50-84100-3	10	220-230 380-415	35 18	1.2 1.2
F50-84150-3	15	220-230 380-415	46 23	1.2 1.2

